

Arrhythmias

Brisinda D, Fenici R, Meloni AM, Fenici P. Multichannel MCG mapping at rest, after effort and during flecainide test in a patient with idiopathic Brugada ECG pattern. *Biomed. Tech.* 48(2), 125-127 (2004).

Fenici R, Brisinda D, Fenici P. In vitro laser photocoagulation of ventricular myocardium during multichannel MCG mapping and multi-MAP recording with amagnetic catheters. In: *Proceedings Biomag 2002 13th International Conf. on Biomagnetism*. Nowak H, Haueisen J, Giebler F, Huonker R (Eds), VDE Verlag, Berlin, Germany, 515-17 (2002).

Fenici R, Brisinda D, Nenonen J, Mäkijärvi M, Fenici P, Multimodal integration of MAP recordings and MCG imaging in patients with paroxysmal atrial arrhythmias, using the MultiMAP amagnetic catheter. In: *Proceedings Biomag 2002 13th International Conf. on Biomagnetism*. Nowak H, Haueisen J, Giebler F, Huonker R (Eds), VDE Verlag, Berlin, Germany, 518-20 (2002).

Fenici R, Brisinda D, Nenonen J, Mäkijärvi M, Fenici P. Bedside multichannel magnetocardiography in clinical practice. In: *Proceedings Biomag 2002 13th International Conf. on Biomagnetism*. Nowak H, Haueisen J, Giebler F, Huonker R (Eds), VDE Verlag, Berlin, Germany, 568-70 (2002).

Fenici RR, Masselli M, Lopez L, Melillo G. Clinical magnetocardiography. Localization of arrhythmogenic structures. In: *Advances in biomagnetism: functional localization. A challenge for biomagnetism*. Erné S, Romani G (Eds.), World Scientific, Singapore, Japan, 103-118 (1989).

Fenici RR, Melillo G. Magnetocardiography: ventricular arrhythmias. *Eur. Heart J.* 14, 53-60 (1993).

Giorgi A, Brisinda D, Meloni AM, Fenici R. Unshielded 36-channel MCG Mapping of the P-Wave in Patients with Paroxysmal Atrial Tachyarrhythmias. *Biomed. Tech.* 48(2), 140-142 (2004).

Hailer B, van Leeuwen P. Prediction of malignant arrhythmias after myocardial infarction on the basis of MCG. In: *Proceedings of the 12th International Conference on Biomagnetism*. Nenonen J, Ilmoniemi RJ, Katila T (Eds.), Helsinki, Finland, 504-507 (2001).

Hren R, Steinhoff U, Gessner C *et al.* Value of MCG QRST integral maps in the identification of patients at risk of ventricular arrhythmias. *Pacing Clin Electrophysiol.* 22, 1292-1304 (1999).

Kandori A, Miyashita T, Ogata K, Shimizu W, Yokokawa M, Kamakura S, Miyatake K, Tsukada K, Yamada S, Watanabe S, Yamaguchi I. Electrical space-time abnormalities of ventricular depolarization in patients with Brugada syndrome and patients with complete right-bundle branch blocks studied by magnetocardiography. *Pacing Clin Electrophysiol.* 29(1), 15-20 (2006).

Kandori A, Shimizu W, Yokokawa M *et al.* Identifying patterns of spatial current dispersion that characterise and separate the Brugada syndrome and complete right-bundle branch block. *Med. Biol. Eng. Comput.* 42(2), 236-44 (2004).

Korhonen P, Husa T, Tierala I, Vaananen H, Makijarvi M, Katila T, Toivonen L. Increased intra-QRS fragmentation in magnetocardiography as a predictor of arrhythmic events and mortality in patients with cardiac dysfunction after myocardial infarction. *J Cardiovasc Electrophysiol.* 17(4), 396-401 (2006).

Korhonen P, Väänänen H, Mäkijärvi M, Katila T, Toivonen L. Repolarization abnormalities detected by magnetocardiography in patients with dilated cardiomyopathy and ventricular arrhythmias. *J. Cardiovasc. Electrophysiol.* 12, 772–777 (2001).

Leder U, Haueisen J, Huck M, Nowak H. Noninvasive imaging of arrhythmogenic left-ventricular myocardium after infarction. *The Lancet.* 352, 1825 (1998).

Mäkijärvi M, Nenonen J, Toivonen L, Montonen J, Katila T, Siltanen P. Magnetocardiography: supraventricular arrhythmias and pre-excitation syndrome. *Eur. Heart J.* 14(Suppl. E.), 46-52 (2003).

Moshage W, Achenbach S, Gohl K *et al.* Biomagnetic localization of ventricular arrhythmias. *Radiology.* 180, 685-692 (1991).

Schless B G, Muller H.-P, Pasquarelli A, Demelis M, Hombach V, Erne S N, ST-T variability detected by multichannel magnetocardiography. In: *Proceedings of 13th International Conf on Biomagnetism*, Nowak H, Haueisen J, Giebler F, Huonker R (Eds), Jena, Germany, 550 (2002).

Stroink G, Meeder RJ, Elliott P, Lant J, Gardner MJ. Arrhythmia vulnerability assessment using magnetic field maps and body surface potential maps. *Pacing Clin. Electrophysiol.* 22, 1718-1728 (1999).

Yamada S, Tsukada K, Miyashita T, Wan K, Yamaguchi I. Noninvasive stratification of micro-reentrant arrhythmia by using magnetocardiograms. In: *Proceedings Biomag 2002 13th International Conf. on Biomagnetism*. Nowak H, Haueisen J, Giebler F, Huonker R (Eds), VDE Verlag, Berlin, Germany, 554- 56 (2002).

Yamada S, Yamaguchi I. Magnetocardiograms in clinical medicine: unique information on cardiac ischaemia, arrhythmias, and fetal diagnosis. *Intern. Med.* 44(1), 1-19 (2005).

Atrial Fibrillation

Koskinen R, Lehto M, Vaananen H, Rantonen J, Voipio-Pulkki LM, Makijarvi M, Lehtonen L, Montonen J, Toivonen L. Measurement and reproducibility of magnetocardiographic filtered

atrial signal in patients with paroxysmal lone atrial fibrillation and in healthy subjects. *J Electrocardiol.* 38(4), 330-6 (2005).

Nakai K, Kawazoe K, Izumoto H, Tsuboi J, Oshima Y, Yoshioka K, Shozushima M, Suwabe A, Shimizu T, Itoh T, Kobayashi K, Yoshizawa M. Three-dimensional electric current density map by 64-channel magnetocardiography in patient with atrial flutter and atrial fibrillation. In: *Proceedings of the 14th International Conference on Biomagnetism*. Halgren E, Ahlfors S, Haimalainen M, Cohen D (Eds.), Boston, USA, 409-410 (2004).

Yamada S, Tsukada K, Miyashita T, Jahangir A, Ishizu T, On K, Kuga K, Watanabe S, Miyauchi T, Yamaguchi I. Magnetocardiogram is a useful noninvasive tool to identify patients at high risk of atrial fibrillation and heart failure hospitalization. In: *Proceedings of the 14th International Conference on Biomagnetism*. Halgren E, Ahlfors S, Haimalainen M, Cohen D (Eds.), Boston, USA, 422 (2004).

Bone Marrow Transplantation

Heyl J, Riede FT, Haueisen J, Zintl F. Magnetocardiography before and after bone marrow transplantation in children. In: *Proceedings Biomag 2002 13th International Conf. on Biomagnetism*. Nowak H, Haueisen J, Giebler F, Huonker R (Eds), VDE Verlag, Berlin, Germany, (2002).

Cardiac Transplantation

El-Arousy M, Chaikovsky I, Koertke H *et al.* Application of the magnetocardiographic mapping in patients with “uncomplicated” transplanted hearts in comparison to those with coronary artery disease and to healthy volunteers. In: *Proceedings of the 14th International Conference on Biomagnetism*. Halgren E, Ahlfors S, Haimalainen M, Cohen D (Eds.), Boston, USA, 395-396 (2004).

Fernando D and Resar J. Magnetocardiography in cardiac transplantation: a case study. *International Journal of Bioelectromagnetism.* 5(1), 109-13 (2003).

Schmitz L, Koch H, Brockmeir K, Muller J, Schuler, Warnecke H, Hetzer R, Erne S N. Magnetocardiographic diagnosis of graft rejection after heart transplantation. *Biomagnetism: Clinical Aspects*. Eds. M Hoke et al, Elsevier, 555-559 (1992).

Cardiomyopathy

Korhonen P, Vaananen H, Makijarvi M, Katila T, Toivonen L. Repolarization abnormalities detected by magnetocardiography in patients with dilated cardiomyopathy and ventricular arrhythmias. *J. Cardiovasc. Electrophysiol.* 12, 772-777 (2001).

Nikitin IP, Shabalin AV, Kytmanov AV *et al.* The diagnostic potentials of MCG in the combined examination of patients with cardiomyopathies. *Terapeut. Arkh.* 68, 45-49 (1996).

Shiono J, Horigome H, Matsui A, Terada Y, Miyashita T, Tsukada K. Detection of repolarization abnormalities in patients with cardiomyopathy using current vector mapping technique on magnetocardiogram. *Int. J. Cardiovasc. Imaging.* 19(2), 163-170 (2003).

Coronary Artery Disease

Brisinda D, Meloni A M, Fenici R. First 36-channel magnetocardiographic study of CAD patients in an unshielded laboratory for interventional and intensive cardiac care. *Functional Imaging and Modeling of the Heart.* Springer, Berlin, Germany, 122-131 (2003).

Brisinda D, Meloni AM, Nenonen J, Fenici R. Unshielded stress multichannel magnetocardiography of patients with coronary disease and normal subjects with standard ergometer. Comparison with ECG. *Biomed. Tech.* 48(2), 137-139 (2004).

Chaikovsky I, Auth-Eisernitz S, Avolin B, Hailer B. Atlas of typical magnetocardiographic maps for diagnosis of CAD within ST-T interval. In: *Proceedings of the 14th International Conference on Biomagnetism.* Halgren E, Ahlfors S, Haimalainen M, Cohen D (Eds.), Boston, USA, 393-394 (2004).

Chaikovsky I, Primin M, Auth-Eisernitz S, Schafer G, Hailer B. Usefulness of magnetocardiography in CAD patients with complete left or right bundle branch block. In: *Proceedings of the 14th International Conference on Biomagnetism.* Halgren E, Ahlfors S, Haimalainen M, Cohen D (Eds.), Boston, USA, 418 (2004).

Chaikovsky I, Primin M, Nedayvoda I, Vassilyev V, Sosnitsky V, Steinberg F. Computerized classification of patients with coronary artery disease but normal or unspecifically changed ECG and healthy volunteers. In: *Proceedings Biomag 2002 13th International Conf. on Biomagnetism.* Nowak H, Haueisen J, Giebler F, Huonker R (Eds), VDE Verlag, Berlin, Germany, 534-36 (2002).

Chen Y, Liu X, Qi X *et al.* Resting magnetocardiographic imaging can accurately detect obstructive coronary artery disease in patients with chronic ischemia. *J Am Coll Cardiol.* 45 Suppl A. (2005).

Hailer B, Chaikovsky I, Auth-Eisernitz S, Schafer H, Steinberg F, Gronemeyer DH. Magnetocardiography in coronary artery disease with a new system in an unshielded setting. *Clin. Cardiol.* 26(10), 465-471 (2003).

Hailer B, Chaikovsky I, Auth-Eisernitz S, Schafer H, Van Leeuwen P. The value of magnetocardiography in patients with and without relevant stenosis of the coronary arteries using an unshielded system. *Pacing Clin. Electrophysiol.* 28(1), 8-16 (2005).

Hailer B, Van Leeuwen P, Auth-Eisernitz S, Chaikovsky I, Schafer H, Gronemeyer D. The value of magnetocardiography in patients with chest pain with and without hemodynamically relevant stenosis of the coronary arteries using an unshielded four channel system. In: *Proceedings of the 14th International Conference on Biomagnetism*. Halgren E, Ahlfors S, Haimalainen M, Cohen D (Eds.), Boston, USA, 401-402 (2004).

Hailer B, Van Leeuwen P. Detection of coronary artery disease with MCG. *Neurol Clin Neurophysiol*. 82 (2004).

Hailer B, Van Leeuwen P, Chaikovsky I, Auth-Eisernitz S, Schafer H, Gronemeyer D. The value of magnetocardiography in the course of coronary intervention. *Ann Noninvasive Electrocardiol*. 10(2), 188-96 (2005).

Hailer B, van Leeuwen P, Lange S, Wehr M. Spatial distribution of QT dispersion measured by magnetocardiography under stress in coronary artery disease. *J. Electrocardiol*. 32, 207-216 (1999).

Lim HK, Chung N, Kim K, Ko YG, Kwon H, Lee YH, Kim JB, Cho JR, Kim JM, Kim IS, Park YK. Reproducibility of Quantitative Estimate of Magnetocardiographic Ventricular Depolarization and Repolarization Parameters in Healthy Subjects and Patients with Coronary Artery Disease. *Ann Biomed Eng*. 2006 Nov 7; [Epub ahead of print].

Kanzaki H, Nakatani S, Kandori A, Hashimoto S, Itoh S, Tataka N, Miyashita T, Tsukada K, and Miyatake K. A novel method to visualize myocardial ischemia using magnetocardiogram. In: *Proceedings of the 12th International Conference on Biomagnetism*. Nenonen J, Ilmoniemi RJ, Katila T (Eds.), Helsinki, Finland, 141 (2001).

Kanzaki H, Nakatani S, Kandori A, Tsukada K, Miyatake K. A new screening method to diagnose coronary artery disease using multichannel magnetocardiogram and simple exercise. *Basic Res. Cardiol*. 98(2), 124-132 (2003).

Morguet AJ, Behrens S, Kosch O *et al*. Myocardial viability evaluation using magnetocardiography in patients with coronary artery disease. *Coron. Artery Dis*. 15(3), 155-162 (2004).

Morguet A J, Koch H, Behrens S, Kosch O, Goedde P, Lange C, Selbig D, Munz DL, Schultheiss H-P, Magnetocardiography to assess myocardial viability in patients with coronary heart disease. In: *Proceedings Biomag 2002 13th International Conf. on Biomagnetism*. Nowak H, Haueisen J, Giebler F, Huonker R (Eds), VDE Verlag, Berlin, Germany, 540 (2002).

Nenonen J, Pesola K, Hänninen H *et al*. Current-Density estimation of exercise-induced ischemia in patients with multivessel coronary artery disease. *J. Electrocardiol*. 34, 37-42 (2001).

Park JW, Hill PM, Chung N, Hugenholtz PG, Jung F. Magnetocardiography predicts coronary artery disease in patients with acute chest pain. *Ann Noninvasive Electrocardiol.* 10(3), 312-23 (2005).

Park J-W, Hill P M, Tolstrup K et al. Magnetocardiography predicts coronary artery disease in bundle branch block patients with acute chest pain. Poster P3447, The Abstract Book, *Eur Heart J. Suppl.* (2005).

Quan WW, Lu GP, Li YM, Shen Y, Yuan R, Qi WH. Magnetocardiography changes in coronary artery disease patients with normal or unspecialized resting electrocardiogram. *Zhonghua Xin Xue Guan Bing Za Zhi.* 34(6):500-3 (2006). Chinese.

Selbig D, Primin M, Gapelyuk A, Meyerfeldt U, Schuett H, Schirdewan A. Early diagnosis of single coronary vessel disease. In: *Proceedings of the 12th International Conference on Biomagnetism.* Nenonen J, Ilmoniemi RJ, Katila T (Eds.), Helsinki, Finland, 141 (2001).

Sternickel K, Tralshawala N, Bakharev A, Korsun N, Braginski A, Dworkin P, Allen E, Thomson P, Nolan V, Falk R, Chen J, Clarke J. Unshielded measurements of cardiac activity using magnetocardiography. *4th International Conf on Bioelectromagnetism,* Montreal, 189-90 (2002).

Van Leeuwen P, Hailer B, Klein A, Lukat M, Enke M, Lux R, Gronemeyer D. Electric and magnetic QT iso-integral maps in patients with and without coronary artery disease under pharmacologically induced stress. In: *Proceedings of the 12th International Conference on Biomagnetism.* Nenonen J, Ilmoniemi RJ, Katila T (Eds.), Helsinki, Finland, 45 (2001).

Van Leeuwen P, Hailer B, Lange S, Gronemeyer DH. Spatial distribution of repolarization times in patients with coronary artery disease. *Pacing Clin Electrophysiol.* 26(8), 1706-1714 (2003).

Van Leeuwen P, Hailer B, Lange S, Gronemeyer DH. Identification of patients with coronary artery disease using magnetocardiographic signal analysis. *Biomed Tech (Berl).* 51(2), 83-8 (2006).

Van Leeuwen P, Lange S, Klein A, Geue D, Matil K, Hailer B, Gronemeyer D. Relationship between clinical and magnetocardiographic parameters in the context of coronary artery disease. In: *Proceedings of the 14th International Conference on Biomagnetism.* Halgren E, Ahlfors S, Haimalainen M, Cohen D (Eds.), Boston, USA, 413-414 (2004).

Hypertension

Brisinda D, Meloni AM, Fenici R. Magnetocardiographic study of ventricular repolarization in hypertensive patients with and without left ventricular hypertrophy. In: *Proceedings of the 14th International Conference on Biomagnetism.* Halgren E, Ahlfors S, Haimalainen M, Cohen D (Eds.), Boston, USA, 389-390 (2004).

Comani S, Gallina S, Lagatta A, Orlandi M, Morana G, De Luzio S, Brisinda D, DeCaterina R, Fenici R, Romani GL. Concentric remodeling detection by magnetocardiography in patients with recent onset arterial hypertension. *Pacing Clin Electrophysiol.* 27(6 Pt 1), 709-18 (2004).

Comani S, Gallina S, Orlandi M, Morana G, Di Luzio S, De Caterina R, Romani GL. Hypertension: comparison between magnetocardiographic and ultra-sonographic findings. In: *Proceedings Biomag 2002 13th International Conf. on Biomagnetism*. Nowak H, Haueisen J, Giebler F, Huonker R (Eds), VDE Verlag, Berlin, Germany, (2002).

Kawasaki Disease

Shiono J, Horigome H, Matsui A *et al.* Evaluation of myocardial ischemia in Kawasaki disease using an isointegral map on magnetocardiogram. *Pacing Clin. Electrophysiol.* 25(6), 915-921 (2002).

Left Ventricular Hypertrophy

Comani S, Gallina S, Orlandi M, Morana G, Di Luzio S, De Caterina R, Romani G L. Hypertension: comparison between magnetocardiographic and ultra-sonographic findings. In: *Proceedings Biomag 2002 13th International Conf. on Biomagnetism*. Nowak H, Haueisen J, Giebler F, Huonker R (Eds), VDE Verlag, Berlin, Germany, 551-53 (2002).

Karvonen M, Oikarinen L, Takala P *et al.* Magnetocardiographic indices of left ventricular hypertrophy. *J. Hypertens.* 20(11), 2285-2292 (2002).

Tumanovskii NM, Safonov IuD, Provotorov VM. Diagnosis of hyperfunction and hypertrophy of the myocardium in hypertension by means of magnetocardiography. *Terapeut. Arkh.* 39(5), 34-37 (1967).

Mitral Valve Prolapse

Brisinda D, Meloni AM, Fenici P, Fenici R. Unshielded Multichannel MCG Study of Ventricular Repolarization Abnormalities in Patients with Mitral Valve Prolapse. *Biomed. Tech.* 48(2), 128-130 (2004).

Myocardial Infarction

Brazdeikis A, Chu CW, Cherukuri P, Litovsky S, Naghavi M. Changes in magnetocardiogram patterns of infarcted-reperfused myocardium after injection of superparamagnetic contrast media. *Neurol Clin Neurophysiol.* 16 (2004).

Hanninen H, Holmstrom M, Vesterinen P, Karvonen M, Vaananen H, Oikarinen L, Makijarvi M, Nenonen J, Lauerma K, Katila T, Toivonen L. Magnetocardiographic assessment of healed myocardial infarction. *Ann Noninvasive Electrocardiol.* 11(3), 211-21 (2006).

Korhonen P, Husa T, Tierala I, Vaananen H, Makijarvi M, Katila T, Toivonen L. QRS duration in high-resolution methods and standard ECG in risk assessment after first and recurrent myocardial infarctions. *Pacing Clin Electrophysiol.* 29(8), 830-6 (2006).

Oikarinen L, Paavola M, Montonen J *et al.* Magnetocardiographic QT interval dispersion in post myocardial infarction patients with sustained ventricular tachycardia: validation of automated QT measurements. *Pacing Clin. Electrophysiol.* 21(10), 1934-1942 (1998).

Oostendorp T. Noninvasive determination of the activation sequence of the heart: Application to patients with previous myocardial infarctions. *J. Electrocardiol.* 35(4), 75-80 (2002).

Myocardial Ischemia

Brazdeikis A, Taylor A A, Mahmarian J J, Xue Y, Chu C W. Comparison Of Magnetocardiograms Acquired In Unshielded Clinical Environment At Rest, During And After Exercise And In Conjunction With Myocardial Perfusion Imaging. In: *Proceedings Biomag 2002 13th International Conf. on Biomagnetism.* Nowak H, Haueisen J, Giebler F, Huonker R (Eds), VDE Verlag, Berlin, Germany, 530-532 (2002).

Chen J, Thomson PD, Nolan V, Clark J. Age and sex dependent variations in the normal magnetocardiogram compared with changes associated with ischemia. *Ann. Biomed. Eng.* 32(8), 1088-1099 (2004).

Chen J, Thomson P D, Nolan V, Clarke J, Bakharev A. The Normal Magnetocardiogram at Rest and Post-exercise in Healthy Volunteers in an Unshielded Clinical Environment. In: *Proceedings Biomag 2002 13th International Conf. on Biomagnetism.* Nowak H, Haueisen J, Giebler F, Huonker R (Eds), VDE Verlag, Berlin, Germany, 533 (2002).

Fenici R., Brisinda D, Meloni AM. Effects of Filtering on Computer-Aided Analysis for Detection of Chronic Ischemic Heart Disease with Unshielded Rest Magnetocardiographic Mapping. *Neurology and Clinical Neurophysiology.* 7, 1-5 (2004).

Fenici R, Brisinda D, Nenonen J, Mäkijärvi M, Fenici P. Study of ventricular repolarization in patients with myocardial ischemia, using unshielded multichannel magnetocardiography. In: *Proceedings Biomag 2002 13th International Conf. on Biomagnetism.* Nowak H, Haueisen J, Giebler F, Huonker R (Eds), VDE Verlag, Berlin, Germany, 537-39 (2002).

Jeon CI, Huh Y, Han BH, Jin SO, Youm DH, Kim KU. Comparison of the MCG parameters between normal subjects and ischemic patients using 61-channel SQUID system. In:

Proceedings of the 14th International Conference on Biomagnetism. Halgren E, Ahlfors S, Haimalainen M, Cohen D (Eds.), Boston, USA, 403-404 (2004).

Hanninen H, Takala P, Korhonen P, Oikarinen L, Montonen J, Makijarvi M, Simelius K, Katila T, Nenonen J, Pesola K, Toivonen L. Detection and localization of myocardial ischemia by multichannel magnetocardiography. *International Journal of Bioelectromagnetism*. 2(1), (2000).

H. Hanninen, P. Takala, P. Korhonen, L. Oikarinen, J. Montonen, M. Makijarvi, K. Simelius, T. Katila, and L. Toivonen. Comparison of magnetic and electric mapping in detection of myocardial ischemia in single vessel coronary artery disease. In: *Proceedings of the 12th International Conference on Biomagnetism*. Nenonen J, Ilmoniemi RJ, Katila T (Eds.), Helsinki, Finland, 25 (2001).

Hanninen H, Takala P, Makijarvi M, Montonen J, Korhonen P, Oikarinen L, Nenonen J, Katila T, Toivonen L. Detection of exercise induced myocardial ischemia by multichannel magnetocardiography in patients with single vessel coronary artery disease. *Recent advances in biomagnetism*. T. Yoshimoto *et al* (Eds), Tohoku University Press, 1037-1040 (1999).

Hanninen H, Takala P, Makijarvi M, Montonen J, Korhonen P, Oikarinen L, Nenonen J, Katila T, Toivonen L. Detection of exercise-induced myocardial ischemia by multichannel magnetocardiography in single vessel coronary artery disease. *Annals of Noninvasive Electrocardiology*. 5(2), 147-157 (2000).

Hänninen H, Takala P, Makijarvi M *et al*. Recording locations in multichannel magnetocardiography and body surface potential mapping sensitive for exercise-induced myocardial ischaemia. *Basic Res. Cardiol*. 96, 405-414 (2001).

Kandori A, Kanzaki H, Miyatake K *et al*. A method for detecting myocardial abnormality by using a current-ratio map calculated from an exercise-induced magnetocardiogram. *Med. Biol. Eng. Comput*. 39, 29-43 (2001).

Kanzaki H, Nakatani S, Kandori A, Hashimoto S, Itoh S, Tanaka N, Miyashita T, Tsukada K, Miyatake K. Peak QRS current ratio - further sensitive index for detection of myocardial ischemia using magnetocardiogram. In: *Proceedings of the 12th International Conference on Biomagnetism*. Nenonen J, Ilmoniemi RJ, Katila T (Eds.), Helsinki, Finland, (2001).

Kanzaki H, Nakatani S, Kandori A, Hashimoto S, Itoh S, Tanaka N, Miyashita T, Tsukada K, Miyatake K. A novel method to visualize myocardial ischemia using magnetocardiogram. In: *Proceedings of the 12th International Conference on Biomagnetism*. Nenonen J, Ilmoniemi RJ, Katila T (Eds.), Helsinki, Finland, 141 (2001).

Lant J, Stroink G, ten Voorde B, Horacek BM, Montague TJ. Complementary nature of electrocardiographic and magnetocardiographic data in patients with ischemic heart disease. *J. Electrocardiol*. 23(4), 315-322 (1990).

Nenonen J, Pesola K, Lotjonen J, Lauerma K, Hanninen H, Makijarvi M, Katila T. Cardiomagnetic source imaging studies. In: *Proceedings of the 12th International Conference on Biomagnetism*. Nenonen J, Ilmoniemi RJ, Katila T (Eds.), Helsinki, Finland (2001).

Park J-W, Reichert U, Maleck A, Klabes M, Schafer J, Jung F. Sensitivity and predictivity of magnetocardiography for the diagnosis of ischaemic heart disease in patients with acute chest pain: preliminary results of the Hoyerswerda registry study. *Critical Path. Cardiol.* 1, 253-254 (2002).

Park J-W, Gerk U, Reichert U, Jung F. Sensitivity and predictivity of magnetocardiography for the diagnosis of ischaemic heart disease in patients with acute chest pain: results of the Hoyerswerda registry study. *6th National Congress of Chest Pain Centers*, San Francisco, (2003).

Park JW, Reichert U, Gerk U et al. Early diagnosis of ischemic heart disease in a Left Bundle Branch Block patient with Magnetocardiography with Acute Chest Pain, using Magnetocardiography. *Proceedings of the 3rd World Congress On Heart Disease*. WA, USA, 131-135 (2003).

Park JW, Jung F. Qualitative and quantitative description of myocardial ischaemia by means of magnetocardiography. *Biomed. Tech. (Berl)*. 49(10), 267-273 (2004).

Pesola K, Hänninen H, Lauerma K. Current density estimation on left ventricular epicardium: a potential method for ischemia localization. *Biomed. Tech.* 44, 143-146 (1999).

Sato M, Terada Y, Mitsui T, Miyashita T, Kandori A, Tsukada K. Detection of myocardial ischemia by magnetogram using 64-channel SQUID system. In: *Proceedings of the 12th International Conference on Biomagnetism*. Nenonen J, Ilmoniemi RJ, Katila T (Eds.), Helsinki, Finland, 26 (2001).

Schreiber J, Haueisen J, Leder U, Nenonen J, Hanninen H, Makela T, Takala P, Katila T, Makijarvi M, Toivonen L, Lauerma K, Knuuti J. Methods for non-invasive source imaging of myocardial ischemia. In: *Proceedings Biomag 2002 13th International Conf. on Biomagnetism*. Nowak H, Haueisen J, Giebler F, Huonker R (Eds), VDE Verlag, Berlin, Germany, 528 (2002).

Steinberg BA, Roguin A, Allen E *et al*. Reproducibility and interpretation of magneto -cardio-gram maps in detecting ischaemia. *J Am. Coll. Cardiol.* 43(Suppl.), 149A (2004).

Steinberg BA, Roguin A, Watkins SP 3rd, Hill P, Fernando D, Resar JR. Magnetocardiogram recordings in a nonshielded environment--reproducibility and ischemia detection. *Ann Noninvasive Electrocardiol.* 10(2), 152-60 (2005).

Takala P, Hanninen H, Korhonen P, Montonen J, Makijarvi M, Nenonen J, Oikarinen L, Toivonen L, and Katila T. Detection of myocardial ischemia by analysis of change in magnetocardiographic maps recorded in exercise testing. In: *Proceedings of the 12th*

International Conference on Biomagnetism. Nenonen J, Ilmoniemi RJ, Katila T (Eds.), Helsinki, Finland, 45 (2001).

Tolstrup K, Madsen B, Brisinda D *et al*. Resting magnetocardiography accurately detects myocardial ischaemia in chest pain patients with normal or non-specific ECG findings. *Circulation* 110(Suppl. 17), 743 (2004).

Tolstrup K, Madsen BE, Ruiz JA, Greenwood SD, Camacho J, Siegel RJ, Gertzen HC, Park JW, Smars PA. Non-invasive resting magnetocardiographic imaging for the rapid detection of ischemia in subjects presenting with chest pain. *Cardiology*. 106(4), 270-6 (2006).

Tolstrup K, Rashti S, Cheung B *et al*. Resting magnetocardiography detects ischemia with high accuracy in patients with acute coronary syndrome. *J Am Coll Cardiol*. 47, 182A (2006).

Tsukada K, Kandori A, Miyashita T, Suzuki H, Sasabuti H, Yamada S, Sato M, Horigome H, Shigemitsu S, Terada Y, Yamaguchi I, Mitsui T, Hoshono T, Chiba Y, Kamakura H, Miyatake K. An optimized 64-channel superconducting quantum interference device system to analyze and visualize activated regions and current flow in the heart. In: *Proceedings of the 12th International Conference on Biomagnetism*. Nenonen J, Ilmoniemi RJ, Katila T (Eds.), Helsinki, Finland (2001).

Tsukada K, Miyashita T, Kandori A, Yamada S, Sato M, Terada Y, Mitsui T, Yamaguchi I, Kanzaki H, Kamakura S, Miyatake K. Magnetocardiographic mapping characteristic for diagnosis of ischemic heart disease. *Computers in Cardiology*. 505-508 (2000).

Tsukada K, Miyashita T, Kandori A *et al*. An iso-integral mapping technique using magnetocardiogram, and its possible use for diagnosis of ischemic heart disease. *Int. J. Card. Imaging*. 16, 55-66 (2000).

Yamada S, Yamaguchi I. Magnetocardiograms in clinical medicine: unique information on cardiac ischaemia, arrhythmias, and fetal diagnosis. *Intern. Med*. 44(1), 1-19 (2005).

Watanabe S, On K, Yamada S, Kuga K, Takeyasu N, Miyashita T, Ogata K, Kandori A, Yamaguchi I. Assessing ischemic heart disease with multi-current-vector diagram and integral value of JT interval in magnetocardiography before and after coronary revascularization. In: *Proceedings of the 14th International Conference on Biomagnetism*. Halgren E, Ahlfors S, Haimalainen M, Cohen D (Eds.), Boston, USA, 403-404 (2004).

Watanabe S, Yamaguchi I. Magnetocardiographic diagnosis for myocardial ischemia and arrhythmias. *Rinsho Byori*. 54(5), 466-76 (2006) Japanese.

Myocarditis

Agrawal R, Czerski K, Godde P, Kuhl U. Non-invasive follow up of evolution of myocarditis with magnetocardiography, In: *Proceedings 12th International Conference on Biomagnetism*. Nenonen J, Ilmoniemi RJ, Katila T (Eds.), Helsinki Univ. of Technology, Espoo, Finland, 527-529 (2001).

Occupational Medicine

Izmerov NF, Ushakov IB, Bukhtiarov IV, Vasnev AV, Maslennikov IuV, Kondratiuk LL, Nikitina LS. Magnetocardiography as a new diagnostic method for cardiologic diseases in occupational medicine. *Med Tr Prom Ekol*. 6, 32-7 (2005). Russian.

Percutaneous Coronary Intervention

Hailer B, van Leeuwen P, Klein A, Auth-Eisernitz S, Chaikovsky I, Lange S, Schäfer H, Grönemeyer D, Steinberg F. Magnetocardiographic changes in the course of coronary intervention. In: *Proceedings Biomag 2002 13th International Conf. on Biomagnetism*. Nowak H, Haueisen J, Giebler F, Huonker R (Eds), VDE Verlag, Berlin, Germany, 541-43 (2002).

Hecker Th, Auth-Eisernitz S, Chaikovsky I, Kohler J, Sosnytsky V, Groenemeyer D, Steinberg F, Hailer B. Magnetocardiographic mapping: A noninvasive approach to follow up percutaneous transluminal coronary angioplasty results. In: *Proceedings of the 12th International Conference on Biomagnetism*. Nenonen J, Ilmoniemi RJ, Katila T (Eds.), Helsinki, Finland, 572-75 (2001).

Stadnyuk L, Budnyk M, Kozlovsky V, Chaikovsky I, Getman T, Stadnyuk O. Applicability of Magnetocardiography for Evaluation of PTCA Effectiveness. In: *Proceedings Biomag 2002 13th International Conf. on Biomagnetism*. Nowak H, Haueisen J, Giebler F, Huonker R (Eds), VDE Verlag, Berlin, Germany, 593-95 (2002).

Pharmacology Studies

Steinhoff U, Knappe-Grueneberg S, Schnabel A, Trahms L, Smith F, Langley P, Murray A, Koch H. Magnetocardiography for Pharmacology Safety Studies Requiring High Patient Throughput and Reliability. *J. Electrocardiology*. 37, Suppl 2004, 187-192 (2004).

Premature Ventricular Contraction

Kobayashi K, Uchikawa Y. Frequency analysis of premature ventricular contraction using 3-D MCG measurements. *Magnetics, IEEE Transactions on*. 35(5) Part: 2, 4112 -4114 (1999).

Reviews

Fenici R, Brisinda D, Meloni AM. Clinical application of magnetocardiography. *Expert Rev Mol Diagn*. 5(3), 291-313 (2005).

Tavarozzi I, Comani S, Del Gratta C, Di Luzio S, Romani GL, Gallina S, Zimarino M, Brisinda D, Fenici R, De Caterina R. Magnetocardiography: current status and perspectives. Part II: Clinical applications. *Ital Heart J*. 3(3), 151-65 (2002).

Ventricular Tachycardia

Korhonen P, Montonen J, Endt P *et al.* MCG intra-QRS fragmentation analysis in the identification of patients with sustained ventricular tachycardia after myocardial infarction. *Pacing Clin. Electrophysiol*. 24, 1179-1186 (2001).

Korhonen P, Montonen J, Makijarvi M, Katila T, Nieminen M S, and Toivonen L. Late Fields of the magnetocardiographic QRS complex as indicators of propensity to sustained ventricular tachycardia after myocardial infarction. *J. Cardiovascular Electrophysiology*, 11(4), 413-420 (2000).

Korhonen P, Pesola K, Jarvinen A *et al.* Relation of magnetocardiographic arrhythmia risk parameters to delayed ventricular conduction in post infarction ventricular tachycardia. *Pacing Clin. Electrophysiol*. 25(9), 1339-1345 (2002).

Muller HP, Godde P, Czerski K *et al.* Localization of a ventricular tachycardia-focus with multichannel magnetocardiography and three-dimensional current density reconstruction. *J. Med. Eng. Technol*. 23(3), 108-115 (1999).

Oikarinen L, Paavola M, Montonen J *et al.* Magnetocardiographic QT interval dispersion in post myocardial infarction patients with sustained ventricular tachycardia: validation of automated QT measurements. *Pacing Clin. Electrophysiol*. 21(10), 1934-1942 (1998).

Oikarinen L, Viitasalo M, Korhonen P *et al.* Postmyocardial infarction patients susceptible to ventricular tachycardia show increased T wave dispersion independent of delayed ventricular conduction. *J. Cardiovasc. Electrophysiol*. 12, 1115-1120 (2001).

Stroink G, Lant J, Elliott P, Charlebois P, Gardner MJ. Discrimination between myocardial infarct and ventricular tachycardia patients using magnetocardiographic trajectory plots and iso-integral maps. *J. Electrocardiol*. 25(2), 129-142 (1992).

Tarusinov G, Primin M, Chaykovsky I, Vogt J, Hartmann J, Beerbaum P, Awolin B, Meyer H. Value of magnetocardiography for diagnosing of readiness to paroxysmal supraventricular tachycardia in children. In: *Proceedings of the 14th International Conference on Biomagnetism*. Halgren E, Ahlfors S, Haimalainen M, Cohen D (Eds.), Boston, USA, 411-412 (2004).

Weissmüller P, Abraham-Fuchs K, Schneider S *et al.* MCG localization of ventricular tachycardias with a multichannel system. In: *Biomagnetism: clinical aspects*. Hoke M, Erné SN, Okada YC, Romani GL (Eds.), Elsevier Publisher, Amsterdam, 465-469 (1992).

Wolff-Parkinson-White syndrome

Agren P L, Goranson H, Hindmarsh T, Knutsson E, Mohlkert D, Rosenqvist M, Bergfeldt L. Magnetocardiographic localization of arrhythmia substrates: a methodology study with accessory pathway ablation as reference. *Medical Imaging, IEEE Transactions on*. vol. 17(3), 479 -484 (1998).

Brisinda D, Fenici R. Non invasive localization of ventricular preexcitation: role of multichannel magnetocardiography. In: *Proceedings Biomag 2002 13th International Conf. on Biomagnetism*. Nowak H, Haueisen J, Giebler F, Huonker R (Eds), VDE Verlag, Berlin, Germany, 560-62 (2002).

Brisinda D, Meloni AM, Fenici P, Fenici R. Accessory Pathways' Localization with ECG Algorithms under Pacing-Induced Preexcitation versus Multichannel Magnetocardiography at Rest. *Biomed. Tech.* 48(2), 131-133 (2004).

Fenici R, Brisinda D, Morana G, Fenici P. Multichannel MCG imaging of ventricular preexcitation in an unshielded invasive electrophysiology laboratory. *Biomedizinische Technik – Band 46*. vol. 2, 73-75 (2001).

Fenici R, Brisinda D, Nenonen J, Fenici P. Non invasive study of preexcitation by multichannel magnetocardiography. *Pacing Clin. Electrophysiol.* 26, 431-435 (2003).

Jazbinsek V, Burghoff M, Oeff M, Ranze O, Trontelj Z. Magnetocardiographic localization of accessory conduction pathway in patients suffering from WPW syndrome. *Computers in Cardiology*. 417-420 (1995).

Kobayashi K, Uchikawa Y, Nakai K, Yoshizawa M. Analysis of excitation conduction with WPW syndrome patients using a three-dimensional Magnetocardiogram. In: *Proceedings Biomag 2002 13th International Conf. on Biomagnetism*. Nowak H, Haueisen J, Giebler F, Huonker R (Eds), VDE Verlag, Berlin, Germany, 573-75 (2002).

Nenonen J, Makijarvi M, Toivonen L *et al.* Non-invasive MCG localization of ventricular pre-excitation in the Wolff-Parkinson-White syndrome using a realistic torso model. *Eur. Heart J.* 14(2), 168-174 (1993).

Weissmuller P, Abraham-Fuchs K, Schneider S, Richter P, Kochs M, Hombach V. MCG non-invasive localization of accessory pathways in the Wolff-Parkinson-White syndrome by a multichannel system. *Eur. Heart J.* 13, 616-622 (1992).

Yamada S, Tsukada K, Miyashita T, Npoguchi Y, Ebashi T, Terada Y, Kuga K, Yamaguchi I. Analysis of more complex arrhythmias using the tangential components of the cardiac magnetic field. In: *Proceedings of the 12th International Conference on Biomagnetism*. Nenonen J, Ilmoniemi RJ, Katila T (Eds.), Helsinki, Finland, 514 (2001).